

Name

Reg. No

Class



MAYFLOWER SECONDARY SCHOOL MAYFLOWER SECONDARY SCHOOL MAYFLOWER SECONDARY SCHOOL MAYFLOWER SECONDARY SCHOOL
 MAYFLOWER SECONDARY SCHOOL MAYFLOWER SECONDARY SCHOOL MAYFLOWER SECONDARY SCHOOL MAYFLOWER SECONDARY SCHOOL
 MAYFLOWER SECONDARY SCHOOL MAYFLOWER SECONDARY SCHOOL MAYFLOWER SECONDARY SCHOOL MAYFLOWER SECONDARY SCHOOL
 MAYFLOWER SECONDARY SCHOOL MAYFLOWER SECONDARY SCHOOL MAYFLOWER SECONDARY SCHOOL MAYFLOWER SECONDARY SCHOOL
 MAYFLOWER SECONDARY SCHOOL MAYFLOWER SECONDARY SCHOOL MAYFLOWER SECONDARY SCHOOL MAYFLOWER SECONDARY SCHOOL
 MAYFLOWER SECONDARY SCHOOL MAYFLOWER SECONDARY SCHOOL MAYFLOWER SECONDARY SCHOOL MAYFLOWER SECONDARY SCHOOL

4E/5N

| | |
|---|--------------------------------|
| MATHEMATICS | 4048/01 |
| Paper 1 [80 marks] | PRELIMINARY EXAMINATION |
| | 24 August 2022 |
| | 2 hours |
| Candidates answer on the question paper | |

READ THESE INSTRUCTIONS FIRST

- Do not open this booklet until you are told to do so.**
- Write your name, index number and class on all the work you hand in.
- Write in dark blue or black pen.
- You may use an HB pencil for any diagrams or graphs.
- Do not use staples, paper clips, glue or correction fluid.

- Answer **ALL** questions.
- If working is needed for any question it must be shown with the answer.
- Omission of essential working will result in loss of marks.
- The use of an approved scientific calculator is expected, where appropriate.
- If the degree of accuracy is not specified in the question, and if the answer is not exact, give the answer to three significant figures. Give answers in degrees to one decimal place.
- For π , use either your calculator value or 3.142, unless the question requires the answer in terms of π .
- The number of marks is given in brackets [] at the end of each question or part question.
- The total of the marks for this paper is 80.
- Write the brand and model of your calculator in the space provided below.

| | | |
|----------------------------------|---------------------------|-----------|
| Brand/Model of Calculator | For Examiner's Use | |
| | Total | 80 |

This question paper consists of 17 printed pages and 1 blank page.

Mathematical Formulae*Compound interest*

$$\text{Total amount} = P \left(1 + \frac{r}{100} \right)^n$$

Mensuration

$$\text{Curved surface area of a cone} = \pi r l$$

$$\text{Surface area of a sphere} = 4\pi r^2$$

$$\text{Volume of a cone} = \frac{1}{3} \pi r^2 h$$

$$\text{Volume of a sphere} = \frac{4}{3} \pi r^3$$

$$\text{Area of triangle ABC} = \frac{1}{2} ab \sin C$$

$$\text{Arc length} = r\theta, \text{ where } \theta \text{ is in radians}$$

$$\text{Sector area} = \frac{1}{2} r^2 \theta, \text{ where } \theta \text{ is in radians}$$

Trigonometry

$$\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$$

$$a^2 = b^2 + c^2 - 2bc \cos A$$

Statistics

$$\text{Mean} = \frac{\sum fx}{\sum f}$$

$$\text{Standard deviation} = \sqrt{\frac{\sum fx^2}{\sum f} - \left(\frac{\sum fx}{\sum f} \right)^2}$$

[Turn over

1 Simplify the following expressions, leaving your answers in positive index.


(a) $(-a^2)^3 \div 4b^0$

Answer [2]

(b) $(a^{-1}b)^2 \times (\sqrt{b})^3$

Answer [2]

2 The line graph shows the profits that a company has made over a few years.



State two ways in which the line graph may be misleading.

Answer

.....

.....

..... [2]

[Turn over

- 3 The volume of an Olympic size swimming pool is 660 000 gallons.
1 gallon is approximately 3790 cm³.


(a) Convert 660 000 gallons to cm³, leaving your answer in standard form.

Answer cm³ [1]

(b) The average volume of water flowing from tap A and tap B are 8×10² litres per minute and 1.2×10³ litres per minute respectively. Both taps are used to fill up the Olympic size swimming pool together. Calculate the time needed to fill up the pool completely.

Answer minutes [2]

- 4 The sketch shows the graph of $y = ka^{-x}$. The points A (-1, 6) and B (0, 3) lie on the graph.



Find the value of k and of a .

Answer $k = \dots\dots\dots$

$a = \dots\dots\dots$ [2]

[Turn over

5

- 5 (a) Express 1400 as a product of its prime factors.

Answer [1]

- (b) Hence, explain why 1400 is not a perfect square.

Answer

 [1]

- (c) a and b are both prime numbers. Find the value of a and of b such that $1400 \times \frac{a}{b}$ is a perfect cube.

Answer $a =$
 $b =$ [2]

- 6 A lake has an actual area of 2.56 km^2 . It is represented by an area of 4 cm^2 on a map.

- (a) Find the scale of the map in the form $1 : n$.

Answer $1 : \dots\dots\dots$ [2]

- (b) The distance between two towns on the map is 20 cm. Find the actual distance, in kilometres, between the two towns.

Answer km [1]

[Turn over


- 7 $\xi = \{\text{integers } x: 1 \leq x \leq 12\}$
 $A = \{\text{integers } x: 1 - 2x > -9\}$
 $B = \{\text{prime numbers}\}$

(a) List the elements in $A \cap B'$.

Answer [1]

(b) On the Venn diagram, shade the region which represents $A' \cup B$.

Answer




[1]

- 8 The mass, M grams, of a cylindrical clay is directly proportional to the cube of its radius, r centimetres. The mass of the cylindrical clay is increased by 700%. Calculate the percentage increase in the radius of the cylindrical clay.

Answer % [2]

[Turn over

- 9 The diagram shows a right pyramid of height 45 cm.



The volume of the liquid in the pyramid is half the volume of the pyramid. Calculate the depth, h cm, of the liquid.

Answercm [2]

- 10 (a) (i) Express $x^2 - 4x + 8$ in the form $(x + p)^2 + q$.

Answer [1]

- (ii) Hence explain why there is no solution for $x^2 - 4x + 8 = 0$.

Answer


 [1]

[Turn over

8

- (b) Sketch the graph of $y = (3-x)(x+5)$ on the axes below. Indicate clearly the values where the graph crosses the axes and the coordinates of the turning point.

Answer



[3]


- 11 Given $x^2 - 8xy + 16y^2 = 0$, find the value of $\frac{x}{y}$.

Answer

[2]

[Turn over

- 12 In the diagram, ACD is a triangle. B is the point on AC such that $AB = 10$ cm and $BC = 4$ cm. E is the point on AD where $AE = 7$ cm and $ED = 13$ cm.



- (a) Show that ACD and AEB are similar.

Answer

.....

.....

.....

.....

..... [2]

- (b) F is the point on AB such that $\frac{\text{Area of } AEF}{\text{Area of } AEB} = \frac{1}{4}$. Find the length of AF .

Answer cm [1]


[Turn over

13 The stem-and-leaf diagram shows the test scores of the boys and girls from a particular class.

| Boys | | Girls |
|------|---|---------|
| | 8 | 3 |
| | | |
| | 3 | 1 2 4 |
| 8 | 4 | 0 3 6 7 |
| 4 | 2 | 3 5 9 |
| 5 | 4 | 3 4 6 7 |
| | 2 | |
| | 7 | |
| | 5 | |
| | | |
| | 8 | |

| | |
|----------------|----------------|
| Key (Boys) | Key (Girls) |
| 8 3 means 38 | 4 1 means 41 |

(a) Alvin represented the boys' test scores on a box-and-whisker plot below.



Find the values of a , b and c .

Answer $a = \dots\dots\dots$
 $b = \dots\dots\dots$
 $c = \dots\dots\dots$ [3]

(b) Alvin realised that he forgot to record one boy's test score. After recording this boy's test score, the median of the boys' score remains unchanged. Write down the possible score for this boy.

Answer $\dots\dots\dots$ [1]

(c) Alvin wants to measure the consistency of the class's test scores. He claims that the standard deviation is a more accurate measure, compared to the interquartile range. Justify why this claim is valid.

Answer $\dots\dots\dots$
 $\dots\dots\dots$
 $\dots\dots\dots$ [1]


14 (a) Factorise $-2x^2 + x + 3$.

Answer [1]

(b) Factorise completely $8x^3 - 18xy^2$.

Answer [2]

15 The diagram shows an accurate drawing of triangle ABC .



(a) By constructing appropriate lines on the diagram, mark the point P on AB such that P is equidistant from AC and BC . [2]

(b) Write down the bearing of P from A .

Answer ° [1]

[Turn over

- 16 The matrix **A** below shows the prices of football match tickets for seats in Category 1 (Cat 1), Category 2 (Cat 2) and Category 3 (Cat 3). The prices are given in dollars.

$$\mathbf{A} = \begin{matrix} & \begin{matrix} \text{Cat 1} & \text{Cat 2} & \text{Cat 3} \end{matrix} \\ \begin{pmatrix} 80 & 42 & 20 \\ 120 & 62 & 30 \end{pmatrix} & \begin{matrix} \text{Semi-final} \\ \text{Final} \end{matrix} \end{matrix}$$

- (a) There are 300 Cat 1 seats, 500 Cat 2 seats and 1000 Cat 3 seats. Represent this information in a 3×1 matrix, **B**.

Answer **B** = [1]

- (b) Evaluate the matrix $\mathbf{X} = \begin{pmatrix} 0.5 & 0.5 \end{pmatrix} \mathbf{AB}$.


Answer **X** = [2]

- (c) State what the element of **X** represents.

Answer

 [1]

19 The diagram shows the speed-time graph of a train for the first 62.5 seconds after entering a tunnel.



(a) Find the speed of the train 20 seconds after entering the tunnel. Give your answer in kilometres per hour.

Answer km/h [3]

(b) Calculate the distance travelled by the train for the first 25 seconds after entering the tunnel.

Answer m [2]

(c) The deceleration of the train for the first 25 seconds after entering the tunnel is twice the acceleration of the train after 25 seconds in the tunnel. Find the value of k .

Answer $k =$ [2]

[Turn over

20 P is the point $(3, -1)$ and Q is the point $(-5, 5)$.

(a) Find $|\overline{PQ}|$.

Answer $|\overline{PQ}| = \dots\dots\dots$ units [2]

(b) The line PQ intersects the x -axis at R . Find the coordinates of point R .

Answer $R = (\dots\dots\dots, \dots\dots\dots)$ [2]

(c) The point S is the result of the translation of point P by $\begin{pmatrix} -6 \\ 1 \end{pmatrix}$. Find the coordinates of point S .

Answer $S = (\dots\dots\dots, \dots\dots\dots)$ [1]

21 The body mass index, BMI, of a person is defined as $\frac{\text{mass in kg}}{(\text{height in metres})^2}$. Over two years, Jay's mass decreased by 0.8% and his height increased by 2%. Find the percentage change in Jay's BMI.

Answer $\dots\dots\dots\%$ [3]

[Turn over

- 22 A bag contains 150 chips. There are 60 blue chips, x red chips and y green chips in the bag. The probability of drawing a red chip is $\frac{7}{30}$.

(a) Find x and y .

Answer $x = \dots\dots\dots$

$y = \dots\dots\dots$ [2]

(b) n yellow chips are added into the bag.

- (i) The probability of choosing two yellow chips with replacement is $\frac{1}{256}$. Write down an equation in n to represent this information and show that it simplifies to $17n^2 - 20n - 1500 = 0$.

Answer


[3]

- (ii) Solve the equation $17n^2 - 20n - 1500 = 0$ to find the number of yellow chips added into the bag.

Answer $\dots\dots\dots$ chips [2]

[Turn over

- 23 The diagram shows a right-angled triangle AOB where $AO = 15$ cm and $BO = 8$ cm. P lies on AB such that OP is an arc of a circle with centre A . Q lies on AB such that OQ is an arc of a circle with centre B .



- (a) Show that angle ABO is 1.0808 radians, correct to 4 decimal places.

Answer

[1]

- (b) Find the area of the shaded region.

Answer cm^2 [3]

END OF PAPER

BLANK PAGE

Name Reg. No Class



MAYFLOWER SECONDARY SCHOOL MAYFLOWER SECONDARY SCHOOL MAYFLOWER SECONDARY SCHOOL MAYFLOWER SECONDARY SCHOOL
 MAYFLOWER SECONDARY SCHOOL MAYFLOWER SECONDARY SCHOOL MAYFLOWER SECONDARY SCHOOL MAYFLOWER SECONDARY SCHOOL
 MAYFLOWER SECONDARY SCHOOL MAYFLOWER SECONDARY SCHOOL MAYFLOWER SECONDARY SCHOOL MAYFLOWER SECONDARY SCHOOL
 MAYFLOWER SECONDARY SCHOOL MAYFLOWER SECONDARY SCHOOL MAYFLOWER SECONDARY SCHOOL MAYFLOWER SECONDARY SCHOOL
 MAYFLOWER SECONDARY SCHOOL MAYFLOWER SECONDARY SCHOOL MAYFLOWER SECONDARY SCHOOL MAYFLOWER SECONDARY SCHOOL
 MAYFLOWER SECONDARY SCHOOL MAYFLOWER SECONDARY SCHOOL MAYFLOWER SECONDARY SCHOOL MAYFLOWER SECONDARY SCHOOL
 MAYFLOWER SECONDARY SCHOOL MAYFLOWER SECONDARY SCHOOL MAYFLOWER SECONDARY SCHOOL MAYFLOWER SECONDARY SCHOOL

4E/5N

| | |
|---|--------------------------------|
| MATHEMATICS | 4048/02 |
| Paper 2 [100 marks] | PRELIMINARY EXAMINATION |
| | 22 August 2022 |
| | 2 hours 30 minutes |
| Candidates answer on the Question Paper | |

READ THESE INSTRUCTIONS FIRST

- Do not open this booklet until you are told to do so.**
- Write your name, index number and class on all the work you hand in.
- Write in dark blue or black pen.
- You may use an HB pencil for any diagrams or graphs.
- Do not use staples, paper clips, glue or correction fluid.

- Answer **ALL** questions.
- If working is needed for any question it must be shown with the answer.
- Omission of essential working will result in loss of marks.
- The use of an approved scientific calculator is expected, where appropriate.
- If the degree of accuracy is not specified in the question, and if the answer is not exact, give the answer to three significant figures. Give answers in degrees to one decimal place.
- For π , use either your calculator value or 3.142, unless the question requires the answer in terms of π .
- The number of marks is given in brackets [] at the end of each question or part question.
- The total of the marks for this paper is 100.
- Write the brand and model of your calculator in the space provided below.

| | | |
|----------------------------------|---------------------------|------------|
| <u>Brand/Model of Calculator</u> | For Examiner's Use | |
| | Total | 100 |

This question paper consists of **20** printed pages and **2** blank pages.

Mathematical Formulae*Compound interest*

$$\text{Total Amount} = P \left(1 + \frac{r}{100} \right)^n$$

Mensuration

$$\text{Curved surface area of a cone} = \pi r l$$

$$\text{Surface area of a sphere} = 4\pi r^2$$

$$\text{Volume of a cone} = \frac{1}{3} \pi r^2 h$$

$$\text{Volume of a sphere} = \frac{4}{3} \pi r^3$$

$$\text{Area of triangle } ABC = \frac{1}{2} ab \sin C$$

$$\text{Arc length} = r\theta, \text{ where } \theta \text{ is in radians}$$

$$\text{Sector area} = \frac{1}{2} r^2 \theta, \text{ where } \theta \text{ is in radians}$$

Trigonometry

$$\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$$

$$a^2 = b^2 + c^2 - 2bc \cos A$$

Statistics

$$\text{Mean} = \frac{\sum fx}{\sum f}$$

$$\text{Standard deviation} = \sqrt{\frac{\sum fx^2}{\sum f} - \left(\frac{\sum fx}{\sum f} \right)^2}$$

3

Answer all the questions

- 1 (a) Given $\frac{3x-y}{x+2y} = \frac{1}{3}$, find the ratio $x : y$.

Answer $x : y = \dots\dots\dots$ [2]

- (b) Solve the inequality $\frac{2-3x}{3} < \frac{2x-1}{6}$.

Answer $\dots\dots\dots$ [2]

- (c) Given that $\frac{1}{x} + \frac{1}{y^2} = \frac{1}{w-3}$, express y in terms of x and w .

Answer $y = \dots\dots\dots$ [3]

[Turn over

4

- 2 (a) The marked price of a mobile phone is \$1288. After selling the mobile phone at 15% discount, the shop owner still makes a profit of 25% on its cost price. Find the cost price of the mobile phone.

Answer \$ [3]

- (b) The selling price of a desktop computer is \$2388. The hire purchase price is a deposit of \$295 and 18 equal monthly payments of \$125 per month. Calculate the simple interest rate per annum.

Answer% [3]

- (c) The value of a laptop depreciated from \$2000 in 2016 to \$1200 in 2020. If the price depreciated by x % every year, find the value of x .


Answer $x =$ [3]

BLANK PAGE

[Turn over

6

- 3 A hot water tank is made by joining a hemisphere of radius 30 cm to a cylinder of radius 30 cm and height 70 cm.



- (a) Calculate the total surface area of the water tank.

Answercm² [3]

- (b) The tank is filled with water completely.
(i) Calculate the number of litres of water in the tank.


Answer litres [3]

7

- 3 (b) (ii) The water drains from the tank at a rate of 3 litres per second.
 Calculate the time, in minutes and seconds, taken to empty the tank.

Answer minutesseconds [2]

(iii)




All the water from the tank fills a bath completely.
 The bath is a prism whose cross-section is a trapezium.
 The lengths of the parallel sides of the trapezium are 0.4 m and 0.6 m.
 The depth of the bath is 0.3 m. Calculate, in metres, the length of the bath.

Answerm [3]

[Turn over

8

- 4 The diagram shows a parallelogram $ABCD$ on horizontal ground where AC is a path. $AB = 15$ m and $BC = 8$ m. The bearing of B from A is 050° .



- (a) Find the area of the parallelogram $ABCD$.

Answerm² [2]

- (b) Find the length of the path AC .

Answerm [3]

- (c) Find angle DAC .

Answer° [2]

[Turn over

9

- 4 (d) Find the bearing of A from C .

Answer° [1]

A vertical pole is erected at B . T is the top of the pole.
The angle of elevation of T from A is 15° .

- (e) Find the height of the pole.

Answerm [2]

- (f) The angle of elevation of T from any point along AC is given by θ .
Find the range of θ .

Answer° $\leq \theta \leq$ ° [4]

[Turn over

10


- 5 The table shows some values for $y = 4 - 2x - \frac{5}{x}$ for $0.5 \leq x \leq 5.5$.

| | | | | | | | | | | | |
|-----|-----|----|------|------|-----|-----|------|------|------|----|------|
| x | 0.5 | 1 | 1.5 | 2 | 2.5 | 3 | 3.5 | 4 | 4.5 | 5 | 5.5 |
| y | -7 | -3 | -2.3 | -2.5 | -3 | p | -4.4 | -5.3 | -6.1 | -7 | -7.9 |

- (a) Find the value of p , correct to one decimal place.

Answer $p = \dots\dots\dots$ [1]

- (b) On the grid, draw the graph of $y = 4 - 2x - \frac{5}{x}$ for $0.5 \leq x \leq 5.5$. [3]



11

- 5 (c) Use your graph to find the solutions of the equation $2x + \frac{5}{x} = 8$.

Answer $x = \dots\dots\dots$ or $\dots\dots\dots$ [2]

- (d) The gradient of the curve at point A is 3.
Use your graph to determine the coordinates of A .




Answer $A = (\dots\dots, \dots\dots)$ [2]

- (e) By adding a suitable straight line to the grid in part (b), find the solutions to the equation $3x^2 - 14x + 10 = 0$.

Answer $x = \dots\dots\dots$ or $\dots\dots\dots$ [4]

[Turn over

- 6 The table below shows a flooring consisting of square tiles measuring 1 m^2 each. Each day similar tiles are added to the previous pattern.

| | | | |
|-----------------------------|---|--|---|
| |  |  |  |
| Number of days | Day 1 | Day 2 | Day 3 |
| Area added (m^2) | 1 | 5 | 9 |
| Length, l (m) | 1 | 3 | 5 |
| Breadth, b (m) | 1 | 2 | 3 |

- (a) (i) Find an expression, in terms of n , for the area added on Day n .

Answer m^2 [1]

- (ii) Find the area added on Day 20.

Answer m^2 [1]

- (iii) Explain why the area added is always odd.

Answer

 [1]

- (b) (i) Find the total area of the flooring on Day 6.

Answer m^2 [1]

- 6 (b) (ii) Find an expression for the total area of the flooring in the form of $an^2 + bn$, on Day n .

Answer [2]


- (iii) Determine if an area of 780 m² of flooring can be completed in 3 weeks.

Answer.....
.....
..... [2]

[Turn over

14

- 7 In the diagram, O is the centre of the circle. $DOEFG$ and AEB are straight lines and GA is a tangent to the circle at A . Angle $AGD=32^\circ$ and angle $BCD=106^\circ$.



Find, giving reasons for each answer,

- (a) angle GOA ,

Answer $^\circ$ [2]

- (b) angle BCF ,

Answer $^\circ$ [2]

[Turn over

15

7 (c) angle BDA ,


Answer° [2]

(d) angle DEA .

Answer° [2]

[Turn over

- 8 (a) The time spent by 60 students on social media in a week is recorded. The cumulative frequency curve below shows the distribution of the data collected.



- (i) Use the curve to estimate
(a) the median,

Answer [1]

- (b) the interquartile range.

Answer [1]

- (ii) 20% of the students spent at least x minutes on social media in a week. Find the value of x .

Answer $x =$ [2]

- (iii) Another group of 60 students was found to have the same median but a larger interquartile range. Sketch a possible cumulative frequency curve to represent this distribution on the above grid. [1]

[Turn over

- 8 (b) The table below shows the average amount of time (in minutes) spent daily on social media by a group of 240 students.

| Time spent (x minutes) | $20 < x \leq 40$ | $40 < x \leq 60$ | $60 < x \leq 80$ | $80 < x \leq 100$ | |
|---------------------------|------------------|------------------|------------------|-------------------|----|
| Frequency | | | | | |
| | Boys | 15 | 58 | 22 | 5 |
| | Girls | 8 | 30 | 62 | 40 |

- (i) One of these students is selected at random.
Find, as a fraction in its lowest terms, the probability that the student

(a) is a girl who spent at most 60 minutes on social media in a day.

Answer [1]

(b) spent more than 80 minutes on social media in a day.

Answer [1]


- (ii) Two students were selected at random.
Find the probability that at least one of them spent less than or equal to 40 minutes on social media in a day.

Answer [2]

[Turn over


18

- 9 (a) The figure shows a rectangle $ABCD$ with $AD = 15$ cm.
 E is on DC produced such that $DE = 8$ cm.
 The area of shaded part X is 12 cm² more than the area of shaded part Y .
 Find the length of AB .



Answercm [3]

- 9 (b) OAB is a triangle and C is a point on AB such that $AC : CB = 2 : 1$.
 The side OB is produced to the point D such that $OB : BD = 3 : 2$.
 $\vec{OA} = \mathbf{a}$ and $\vec{OB} = \mathbf{b}$.



- (i) Express \vec{OC} in terms of \mathbf{a} and \mathbf{b} , as simply as possible.

Answer [2]

[Turn over

- 9 (b) (ii) Express \overline{CD} in terms of \mathbf{a} and \mathbf{b} , as simply as possible.

Answer [2]

- (iii) E is the point on OA such that $\overline{OE} = \frac{5}{9} \mathbf{a}$.
Show that D , C and E lie on a straight line.

Answer [3]

- (iv) Write down the ratio $\frac{\text{area of triangle } OEC}{\text{area of triangle } OCD}$.

Answer [1]

- (v) Write down the ratio $\frac{\text{Area of triangle } EAC}{\text{Area of triangle } OAB}$.

Answer [1]

[Turn over

20

- 10 Mr Tan designed two computer models X and Y. Both have the same manufacturing cost. Mr Tan engaged his existing client Mr Chew to find out which model is more likely to sell. Mr Chew sent a survey to 1000 random customers, with the photos, price and specifications for each model.

| | | | | | | |
|------------|---------------------|----|---|---|---|----|
| Question 1 | I will buy Model X. | SD | D | N | A | SA |
| Question 2 | I will buy Model Y. | SD | D | N | A | SA |

SD =Strongly Disagree, D =Disagree, N =Neutral, A =Agree and SA =Strongly Agree.

Mr Chew prepared the following report. Unfortunately, coffee spilled on the report before Mr Tan could read it. Mr Tan decided to figure out the missing information.

| Points allocated for each type of response | Model X | Model Y |
|--|---------|---------|
| SD = 1 | 7 | |
| D = 2 | 16 | 31 |
| N = 3 | 628 | 14 |
| A = 4 | 347 | |
| SA = 5 | 2 | |
| <i>n</i> | 1000 | 1000 |
| Mean of points | | 1.907 |
| Standard Deviation of points | | 1.611 |

- (a) Assuming that Mr Tan has done all his calculations correctly, what are the mean and the standard deviation for Model X? Give your answers to 3 decimal places.

Answer mean =..... [1]

standard deviation =..... [1]

- (b) By comparing the means for both models, which model should Mr Chew recommend Mr Tan to produce? State your reason clearly.

Answer [1]

[Turn over

- 10 (c) Mr Tan became troubled with the high standard deviation for Model Y, so he decided to find the missing values for **SD**, **A** and **SA** for Model Y. Help Mr Tan calculate the missing information.

Answer missing values for **SD** =....., **A** =....., **SA** =..... [5]

- (d) With all the information available now, which model should Mr Tan produce? State your reason clearly.

Answer [2]

[Turn over