Name	Reg. No	Class





Science (Chemistry) (with Biology/Physics Component)

5076/1 5078/1

Paper 1

SEMESTRAL ASSESSMENT ONE

May 2018 **1 hour**

Additional Materials: Electronic calculator OTAS Answer Sheet

INSTRUCTIONS TO CANDIDATES:

Do not open this booklet until you are told to do so.

Write your name, index number and class in the spaces at the top of this page and on any separate answer paper used.

Write in soft pencil.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

There are **twenty** questions on this paper. Answer **all** questions.

For each question, there are four possible answers A, B, C and D.

Choose the **one** you consider correct and record your choice in **soft pencil** on the OTAS answer sheet.

Read carefully the instructions on the answer sheet.

At the end of the examination, hand in your OTAS sheet and question paper separately.

Any rough working should be done in this booklet.

A copy of the Periodic Table is printed on page 9.

This question paper consists of **9** printed pages.

Setter: Mr Timothy Chen Vetter: Mdm Jarina Banu


Paper 1 (Multiple Choice Questions)

Answer all the questions on the OTAS.

21 A student follows the rate of the reaction between marble chips, CaCO₃, and dilute hydrochloric acid, by measuring the amount products produced or the amount of reactants reacted.

$$CaCO_3 + 2HCl \rightarrow CaCl_2 + CO_2 + H_2O$$


Which diagrams show apparatus that is suitable for this experiment?



- **A** 1 and 2
- **B** 2 and 4
- **C** 1, 2 and 4
- D All of the above


22 A gas is being cooled to room temperature.

Which part of the cooling curve below shows that both the gas and liquid exist together?



Four samples are spotted onto chromatography paper. It is known that one of these samples is pure compound **Q**. A separate sample of pure compound **Q** is also spotted onto the paper. The paper is placed in a solvent.


The diagram shows the chromatogram produced.




Which statement is correct?

- A Sample 2 has travelled the furthest and sample 3 is pure compound **Q**.
- B Sample 3 has travelled the furthest and sample 2 is pure compound **Q**.
- **C** Sample 4 has travelled the furthest and sample 1 is pure compound **Q**.
- **D** Sample 4 has travelled the furthest and sample 2 is pure compound **Q**.

24 Which diagram shows a compound made up of two different elements?



- 25 Which statement about the particles, F-, Ne and Na+ is correct?
 - **A** They all contain more electrons than protons.
 - **B** They all contain more neutrons than protons.
 - **C** They all contain the same number of electrons.
 - **D** They all contain the same number of protons.
- **26** The figure below shows a compound formed by elements **Q** and **R**.



Which of the following is true?

- A The compound has a low boiling point.
- **B** The compound has mobile electrons and therefore can conduct electricity.
- C The atoms of **R** gain electrons from the atom of **Q** to form an ionic compound.
- **D** The atoms of \mathbf{Q} and \mathbf{R} share valence electrons to form a covalent compound with formula $\mathbf{Q}_2\mathbf{R}$.
- **27** Which statement is correct about all ionic compounds?
 - A They are formed when metals share electrons with non-metals.
 - **B** They conduct electricity in the molten state.
 - **C** They conduct electricity in the solid state.
 - **D** They dissolve in water.

28 Nitrogen monoxide and oxygen react to form nitrogen dioxide.

$$2NO(g) + O_2(g) \rightarrow 2NO_2(g)$$

What is the maximum volume of nitrogen dioxide that could be obtained when 1 dm³ of nitrogen monoxide reacts with 2 dm³ of oxygen?

- **A** 1.0 dm³ **B** 2.0 dm³
- **C** 3.0 dm³
- **D** 4.0 dm^3
- 29 Which sample contains the most atoms?
 - **A** 0.5 moles of water
 - **B** 0.5 moles of ammonia
 - C 1.0 moles of carbon dioxide
 - **D** 2.0 moles of hydrogen chloride
- **30** A household cleaning compound is used to remove calcium carbonate from bathroom surfaces.

Bubbles of gas can be seen forming when it is applied to the surface.

What is the pH of this cleaning compound?

- **A** pH 2
- **B** pH 7
- **C** pH 10
- **D** pH 14
- 31 The table shows the results of adding dilute nitric acid and aqueous sodium hydroxide to four oxides.

Which is the result obtained for aluminium oxide?

	dilute nitric acid	aqueous sodium hydroxide
Α	reaction	reaction
В	reaction	no reaction
С	no reaction	reaction
D	no reaction	no reaction

- A bottle of magnesium carbonate has been contaminated with sodium chloride. How can the pure magnesium carbonate be obtained from this mixture?
 - A Add acid to the mixture, filter then collect the residue.
 - **B** Add acid to the mixture, filter then evaporate the filtrate.
 - **C** Add water to the mixture, filter then collect the residue.
 - **D** Add water to the mixture, filter then evaporate the filtrate.
- 33 Which reagent can be used to react with dilute hydrochloric acid to prepare silver chloride?
 - A solid silver
 - B solid silver oxide
 - **C** solid silver carbonate
 - D aqueous silver nitrate
- 34 The results of experiments involving four metals, W, X, Y and Z, and their ions are shown.

$$Y(s)$$
 + $Z^+(aq)$ \rightarrow $Y^+(aq)$ + $Z(s)$ $W(s)$ + $X^+(aq)$ \rightarrow no reaction $Z(s)$ + $X^+(aq)$ \rightarrow $Z^+(aq)$ + $X(s)$

What is the order of reactivity of the four metals, most reactive to least reactive?

- $A \hspace{1cm} W \to X \to Y \to Z$
- $\mathbf{B} \qquad \mathsf{X} \to \mathsf{W} \to \mathsf{Z} \to \mathsf{Y}$
- $\textbf{C} \hspace{1cm} Y \rightarrow Z \rightarrow X \rightarrow W$
- $\textbf{D} \hspace{1cm} Z \to Y \to W \to X$
- **35** Element **Z** is in the same group of the Periodic Table as bromine but has a lower boiling point.


Which statement about **Z** is correct?

- A It can displace bromine from an aqueous solution of potassium bromide.
- **B** It has a proton number greater than 35.
- **C** It is a solid at room temperature.
- **D** It loses an electron when it reacts with a metal.
- **36** Which change always occurs when a metal atom is oxidised?
 - **A** It combines with oxygen.
 - **B** It gains electrons to form a negative ion.
 - **C** It loses electrons to form a positive ion.
 - **D** It gains protons to form a positive ion.

37 In four separate experiments, 1, 2, 3 and 4, nitric acid was added to excess marble chips and the volume of carbon dioxide formed was measured.

In all four experiments the same volume of nitric acid was used. Its concentration, or temperature, or both concentration and temperature, were changed.

The results of the experiments are shown on the graph.



Which statement is correct?


- A lower concentration of acid was used in experiment 3 than in experiment 1.
- **B** Experiment 4 was faster than experiment 3.
- C The acid used in experiment 2 was of a lower concentration than in experiment 1.
- **D** The temperature of the acid was the same in experiments 1 and 2.
- 38 The elements helium, argon and neon are noble gases.

Which statement is correct?

- A All these elements have an octet configuration.
- **B** Argon is used to react with impurities in the manufacture of steel.
- C Helium is used in balloons as it is more dense than air.
- **D** Neon is used in light bulbs to give an inert atmosphere.


39 The inside of a tube is coated with iron filings. The tube is placed in a trough of

Water as shown.



Which diagram represents the likely appearance of the apparatus after one

week?



- **40** When a volcano erupts, which gas is produced in significant amounts?
 - A carbon monoxide
 - **B** methane
 - **C** oxides of nitrogen
 - **D** sulfur dioxide

-- End of paper 1 --

The Periodic Table of Elements

	0	7	e E	helium 4	10	Ne	neon	70	18	Ā	argon	40	36	궃	krypton	8	54	×e	xenon	131	98	R	radon	10				
	N				6	ш	fluorine	19	17	Ö	chlorine	35.5	35	ğ	bromine	8	53	Н	iodine	127	85	Αt	astatine	F				
	I۸				8	0	oxygen	16	16	S	sulfur	32	34	Se	selenium	79	52	Te	tellurium	128	84	Ъ	polonium	Ç	116	_	ivermorium	Ī
	^				7	z	nitrogen	14	15	₾	shoophorus	31	33	As	arsenic	75	51	Sp	antimony	122	83	<u>.</u>	bismuth	209				
	//				9	O	carbon	12	14	:S	silicon	28	32	ලී	germanium	73	20	Sn	tin	119	82	Ър	lead	207	114	Ŀ	flerovium	Ŀ
	=				5	В	boron	11	13	Αľ	aluminium	27	31	Ga	gallium	20	49	Ţ	indium	115	81	Ë	thallium	204				
													30	Zu	zinc	65	48	ප	cadmium	112	80	Ĥ	mercury	201	112	ర్	copernicium	ľ
													59	రె	copper	64	47	Ag	silver	108	6/	Αn	gold	197	7	g	roentgenium	Ü
Group													28	z	nickel	29	46	Pd	palladium	106	8/	五	platinum	195	110	Os	darmstadtium	Ü
Gre													27	රි	cobalt	29	45	뫈	rhodium	103	2.2	<u>1</u>	iridium	192	109	Mt	meitnerium	Ŀ
		-:	L	nyarogen 1									26						1						108			
								_						Mn	manganese	22	43	၁	technetium	ā	75	Re	rhenium	186	107	뮴	bohrium	I.
				5.	nmber	pol		mass					24	ర	chromium	25	42	Mo	molybdenum	96	74	≯	tungsten	2 8	106		톰	Ţ.
				Key	proton (atomic) number	omic sym	name	ve atomic					23	>	vanadiu	51	41	g	niobium	93	73			- 1	105	6	dubnium	Ē
				9	proton	atc	Post	relat						ï		48	_	Zr	zirconium	91	72	士	hafnium		104	₩	Rutherfordium	1
				7									21	Sc	scandium	42	39	>	yttrium	88	57 – 71	lanthanoids			89 - 103	actinoids		
					4	Be	beryllium	מ	12	Mg	magnesium	24	20	స్త	calcium	40	38	ഗ്	strontium	88	99	Ba	barium	137	88	Ra	radium	I
	_				က	<u></u>	lithium 7	,	Ξ	Na	sodium	23	19	¥	potassium	39	37	&	rubidium	82	25	క్ర	caesium	133	87	ĭ	francium	T

		3851				٦	
71	n L	lutetium	175	103	ئ	lawrenciun	1
70	Υp	yfferbium	173	102	8	nobelium	1
69	Ε	thulium	169	101	Md	mendelevium	1
68	щ	erbium	167	100	Fm	fermium	J
29	운	holmium	165	66	Es	einsteinium	J
99	ò	dysprosium	163	86	ರ	californium	
65	Tb	terbium	159	26	益	berkelium	1
64	ලි	gadolinium	157	96	Cm	curium	1
63	En	europium	152	92	Am	americium	ĵ
62	Sm	samarium	150	94	Pu	plutonium	J
61	Pm	promethium	1	93	å	neptunium	1
09	No			92			
69	Ą	praseodymium	141	91	Ра	protactinium	231
58	Ö	cerium	140	90	드	thorium	232
22	Га	lanthanum	139	88	Ac	actinium	
lanthanoids				actinoids			

The volume of one mole of any gas is $24\,\mathrm{dm}^3$ at room temperature and pressure (r.t.p.).

www.KiasuExamPaper.com

Name	Reg. No	Class



4EX/5NA

Science (Chemistry)

[65 marks]

5076/3 5078/3

SEMESTRAL ASSESSMENT ONE

May 2018

1 hour 15 minutes

Additional Materials: Electronic calculator

INSTRUCTIONS TO CANDIDATES:

Do not open this booklet until you are told to do so.

Write your name, index number and class in the spaces at the top of this page and on any separate answer paper used.

Write in dark blue or black pen on both sides of the paper. You may use a soft pencil for any diagrams, graphs or tables or rough working. Do not use staples, paper clips, highlighters, glue or correction fluid.

FOR EXAMINER'S USE					
Section	Marks				
Paper 1 MCQ	/ 20				
Paper 3 Section A	/ 45				
Paper 3 Section B	/ 20				
Paper 5	/15				
Total	/ 100				

Section A

Answer all questions.

Write your answers in the spaces provided on the question paper.

Section B

Answer **all** questions on the spaces provided.

Answers any **two** questions out of the three questions given.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

A copy of the Periodic Table is printed on page 13.

The use of an approved scientific calculator is expected, where appropriate.

This question paper consists of **13** printed pages.

Setter: Mr Timothy Chen Vetter: Mdm Jarina Banu

Paper 3

Section A (45 marks)

Answer **all** questions in the spaces provided.

1 The apparatus shown in Fig 1.1 can be used to separate a mixture of 3 liquids, **A**, **B** and water.

A has a boiling point of 50 °C while **B** has a boiling point of 78 °C.




Fig. 1.1

(a)	State the name of this method of separation.
	[1]
(b)	What is the purpose of the water in the condenser?
	[1]
(c)	Predict the temperature of the thermometer when the first distillate appears in the beaker.
	Explain why.
	[2]

2 Table 2.1 shows the number of protons, electrons and neutrons of five particles Q to V.

Table 2.1

Particle	Number of protons	Number of neutrons	Number of electrons
Q	5	5	4
R	7	7	10
S	8	8	8
Т	9	11	9
U	10	10	10
V	16	16	16

3 Fig. 3.1 shows the extraction of iron from iron ore.




Fig. 3.1

	(a) Haematite is the	source of iron	produced in the	ne Blast Furnace
--	----	--------------------	----------------	-----------------	------------------

(b)

(i)	Name the reducing agent for the reduction of haematite.
	[1]
(ii)	With the aid of a chemical equation, describe how your answer in 3(a)(i) reduces haematite to molten iron.
	[3]
(iii)	Besides haematite, name the other 2 raw materials that are added to the Blast Furnace.
	[2]
Name	product A and state its usefulness as a substance floating above product B .
	ro1

Iron can be used to make stainless steel.

(c)


			ess steel can be made by adding elements such as chromium and nickel to improve its strength.
		(i)	What is the name given to mixtures such as stainless steel?
		(ii)	Explain, in terms of the arrangement of atoms, why stainless steel is harder than pure iron.
			[2]
4	A stu	ıdent ti	trates 25.0 cm³ an alkali of metal X , X OH, with sulfuric acid.
	He re	ealizes	that 20.0 cm³ of 0.2 mol/dm³ of sulfuric acid is required to neutralize the acid
	The	chemic	al equation for the reaction is shown below:
			$2XOH + H_2SO_4 \rightarrow X_2SO_4 + 2H_2O$
	(a)		an indicator that can determine the endpoint of the reaction and describe the change seen.
			[2]
	(b)	(i)	Calculate the number of moles present in 20.0 cm ³ of the sulfuric acid used.
			mol [4]
			mol [1]

	(ii)	Determine the concentration, in mol/dm ³ , o	of X OH used.
			mol/dm ³ [2]
	(iii)	If the concentration of X OH used is 12.8 ga of X OH and, hence, determine the identity	
		Relative mass of X OH:	Identity of X :[2]
(c)	When	n X OH is added to ammonium chloride, a ga	s is formed.
	Name	e the gas formed and describe how to test fo	or its identity.
			[2]

5

Hyd	rogen c	can form compounds with both metals and non-metals.
For	exampl	le, it can form lithium hydride with lithium and also ammonia with nitrogen.
(a)	What	is the bonding found in lithium hydride?
		[1]
(b)	(i)	Draw the dot-and-cross diagram to show the arrangement of valence electrons found in lithium hydride and ammonia in the space below.
		Lithium hydride:
		[2
		Ammonia:
		[2
	(ii)	Explain, in terms of bonding, why lithium hydride exist as a solid while ammonia exist as a gas at room temperature.
		[3]

6 Fig. 6.1 describes the reactions of metal **A**.



(a)	Identify	the	following	substances.
-----	----------	-----	-----------	-------------

Α	
В	
С	
D	
E	
F	

(b)	Describe how to test for gas C that is formed in the above reactions.
	[1]

[6]

Paper 3 Section B (20 marks)

Answer any **two** questions in this section. Write your answer in the spaces provided.

7	(a)	(i)	Name an element from Period 3 and explain how the electronic structure of t element can be used to determine the group the element belongs.	his
				.[3]
		(ii)	Moving from Group I to Group VII across period 3, the character of the elements change.	
			Describe and explain this change.	
				.[၂
	(b)		element with an atomic number of 87 is extremely rare and only about 30 g ex ughout the Earth crust.	ist
		Write	ict one physical and one chemical property of this element. e a balanced chemical equation, with state symbols, to represent the chemical erty that you have described.	
				[4]

8

Coal contains sulfur. When coal is burnt at power stations in an excess of oxygen, sulfur dioxide is formed according to the reaction shown below.

		$S + O_2 \rightarrow SO_2$
(a)	(i)	Explain why sulfur is considered to be oxidised in this reaction.
		[1]
	(ii)	Find the mass of sulfur burnt if 320 dm ³ of sulfur dioxide is formed at room temperature and pressure.
		[3]
	(iii)	Describe how the release of sulfur dioxide can indirectly cause damage to buildings made of limestone.
		[2]
(b)	Two	pollutants can be produced in the internal combustion engines of automobiles.
		e the pollutants and describe how they are produced in the engines of mobiles.
		[4]

(b	(A student wants to investigate the rate of reaction involving particle size. Given that he has magnesium strips and magnesium powder with some hydrochloric acid, describe how he can conduct a laboratory experiment to do his investigation.										
(b	(A student wants to investigate the rate of reaction involving particle size. Given that he has magnesium strips and magnesium powder with some hydrochloric										
(b	(A student wants to investigate the rate of reaction involving particle size. Given that he has magnesium strips and magnesium powder with some hydrochloric										
(b	(Given that he has magnesium strips and magnesium powder with some hydrochloric										
	8											
		acid, describe how he can conduct a laboratory experiment to do his investigation.										
		Your description should include the measurement obtained to measure the rate of eaction.										
	•											
	•											
	•											
		[5]										
(c	:) [Magnesium can also react with copper(II) sulfate as shown below.										
		Mg + CuSO₄ → MgSO₄ + Cu										
	(During this reaction, the temperature of the solution increases. Based on this observation, state what kind of reaction this is. 										
		[1]										
	(ii) Explain why this reaction is also considered a displacement reaction.										

-- End of section B ---- End of paper –

Blank Page

The Periodic Table of Elements

	0	2 He	helium 4	10	Ne	neon 20	18	Ą	argon 40	36	찿	krypton	84	54	×e	xenon	131	98	R	radon	E				
	II/			6	ш	fluorine 19	17	ľ	phlorine 35.5	35	ğ	promine	80	23		iodine	127	85	Αt	astatine	ľ				
;	I/			∞	0	oxygen 16	16	S	sulfur 32	34	Se	elenium t	6/	52	_e	llurium	128	84	9 2	lonium (ſ,	116	_	morium	1
	>			_		nitrogen 14	_		S	⊢		10.00	-			20.000	\dashv	_		noe	_			<u>live</u>	
	\ \					carbon ni 12			듑			_	_	,		10	_			_		14	F <i>l</i>	ovium	H
				_		boron ca	2		=			ŏ	-				-				- 4		20	fer	
			¥				5	_	alumi 2				_	1.1			_			10	14	2	_	icium	
										l		zinc				O				-			٥	8	
										-		copper	-				-	_			_	-		=	Î
Group										-		nickel	-	_			-				_	-			Ç
										27	රි	cobalt	99	45	뫈	rhodium	103	11	ī	iridium	192	109	Μţ	meitnerium	H
		- I	hydrogen 1							26	Fe	iron	56	44	Z.	ruthenium	101	9/	SO	osmium	190	108	£	hassium	fi
				•						25	Mn	manganese	55	43	ر ک	technetium	ī	75	Re	rhenium	186	107	В	bohrium	I)
				umber	loc	mass				24	ర్	chromium	25	42	οM	molybdenum	96	74	×	tungsten	<u>\$</u>	106	Sg	seaborgium	L
			Key	proton (atomic) number	atomic symbol	name relative atomic mass						vanadium													Ê
				proton	ato	relativ				22	i=	tiťanium	48	40	ZŁ	zirconium	91	72	王	hafnium	178	104	¥	Rutherfordium	B
			4				•			21	လွ	scandium	45	ඉ	>-	yffrium	68	57 – 71	lanthanoids			89-103	actinoids		
	=		3	4	Be	beryllium 9	12	Mg	magnesium 24	20	Ç	calcium	40	38	ઌ૽	strontium	88	56	Ba	barium	_	_		radium	1
	_			-		lithium 7				_													Ļ	francium	Т

lanthanoids	22		59		61	62	83	64	65	99	29		69	2	
	La	Ce	<u>4</u>	PZ	Pm	Sm	Sm Eu	ලි	Tp	ò	운	щ	μ	¥	0
	lanthanum		praseodymium	_	promethium	samarium	europium	gadolinium	terbium	dysprosium	holmium		thulium	ytterbic	Ε
	139		141		î	150	152	157	159	163	165		169	173	
actinoids	89		91		93	94	95	96	26	98	66		101	102	I
	Ac		Ва		å	Pu	Am	Cm	益	ざ	Es		Md	ž	
	actinium		protactinium		neptunium	plutonium	americium	curium	berkelium	californium	einsteinium	4	mendelevium	nobeliur	=
	1		231	258WW	/.KiasuE	xamPa	per.com	1	1	3	J		J	1	

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).

56

Name Reg. No Class




4EX5NA

Sci (Chem) 5076 /5078

[65 marks]

SEMESTRAL ASSESSMENT One May 2018





Paper 1 (20m)

21	22	23	24	25	26	27	28	29	30
В	В	D	D	С	Α	В	Α	D	Α
31	32	33	34	35	36	37	38	39	40
Α	С	D	С	Α	С	Α	D	С	D

Paper 2 Section A (45m)

Qn	Part	Answer	Marks
1	(a)	Fractional distillation	1
	(b)	To condense the vapour entering the condenser as the distillate.	1
	(c)	50 °C.	1
		It is the boiling point of A which has the lowest boiling point of the 3	1
		substances	
2	(a)	(i) S	1
		(ii) Q	1
		(iii) U	1
		(iv) V and S	1
	(b)	It is fluorine.	1
		Both have 9 protons, however,	
		Fluorine has 10 neutrons while T has 11 neutrons.	1
3	(a)	(i) carbon monoxide	1
		(ii) $Fe_2Q_3 + 3CO \rightarrow 2Fe + 3CO_2$	1
		Fe ₂ O ₃ loses oxygen to carbon monoxide,	1
		/ And is thus reduced to form iron /	1
		The oxidation state of Fe decreases from +3 in haematite	
	`	to 0 in iron.	
		(iii) Limestone and	1
		coke.	1
	(b)	Molten stag.	1
		It covers the molten iron, preventing it from oxidising with oxygen.	1
		an All	
	(c)	(i) Alloys	1
		(ii) Since the sizes of particles in stainless steel are different, this disrupts the regular arrangement of iron, making it harder to slide	1
		when a force is applied. (ERC)	1
		Whom a force to applica. (E170)	
4	(a)		1
	\	Universal indicator.	1
		There will be a colour change from purple to green.	
1			

	(b)	(i) (ii) (iii)	Mole of sulfuric acid = $0.02 * 0.2 = 0.004$ mol Mole of sodium hydroxide = $0.004 * 2 = 0.008$ mol Concentration of sodium hydroxide = $0.008 / 0.025$ = 0.32 mol/dm ³ Molar mass = conc (g/dm ³) / conc (mol/dm ³) = $12.8 / 0.32 = 40$ g/mol Molar mass of X = $40 - 16 - 1 = 23$ Therefore, X is sodium.	1 1 1 1
	(c)		onia gas. gas evolved will turn damp red litmus paper blue.	1 1
5	(a)	Ionic	bonding	1
	(b)	(i)	Li H W H	1 mark each for correct transfer/ sharing of electrons for both 1 mark for no inner shell electrons for both
		(ii)	Since lithium hydride consist of strong electrostatic forces of attraction between positive and negative ions while ammonia consists of weak intermolecular forces between ammonia	1
			molecules. And because much more energy is required to overcome the forces of attraction in lithium hydride compared to ammonia, Therefore, lithium hydride has a much higher melting and boiling point, hence it exist as a solid while ammonia exist as a gas under room temperature. (ERC)	1

6	(a)	A: iron	1	
		B: iron(II) nitrate	1	
		C: hydrogen gas	1	
		D: iron(II) hydroxide	1	
		E: iron(III) hydroxide	1	
		F: iron(III) chloride	1	
	(b)	Test the gas evolved using a burning / lighted splint. It should extinguish	1	1
		with a pop sound		

Section B (20m)

Qn	Part		Answer	Remarks			
7	(a)	(i)	Name 1 element from sodium to argon.	1			
			Since sodium has an electronic configuration of 2.8.1, showing that	1			
			it has 1 valence electron. Therefore, it is in Group I.	1			
		(ii)	Across Period 3, the metallic character of the element decreases.	1			
			Since the tendency of the elements to form positive ions by losing	1			
			electrons decreases while				
			The tendency increases for elements to gain electrons, forming	1			
			negative ions as the number of valence electrons increases, Therefore, elements show less metallic character across the period.	1			
			Therefore, elements show less metallic character across the period.				
	(b)	It is s	oft / can conduct electricity / low density.	1			
	, ,	It can	react with water to form alkali and hydrogen gas. /	1			
		It can	react with halogens to form halides.				
		05		4			
		2Fr (s Fr (\$)	$(3) + 2H2O(1) \rightarrow 2FrOH(aq) + H2(g) /+ Cl2(g) \rightarrow 2FrCl2(s)$	1 mark for			
	<	(a)	+ Cl ₂ (g) > 2FrCl ₂ (s)	balanced			
		\ \ \ ,	7. (())	chemical			
		1		equation			
			10/050	1 mark			
			7/155	for state symbols			
			Ÿ				
8	(a)	(i)	Sulfur gains oxygen to form sulfur dioxide / the oxidation state of	1			
		(11)	sulfur increases from 0 to +2.	.			
		(ii)	Mole of sulfur dioxide = 320 / 24 = 13.33 mol	1			
			Mole ratio of SO ₂ : S = 1:1 = 13.33:13.33 Mass of sulfur burnt = 13.33 * 32 = 426.6 = 427g	1			
		(iii)	sulfur dioxide can react with the water to form sulfurous acid.	1			
		(***)	Sulfurous acid oxidises in the air to sulfuric acid which forms acid	1			
			rain which can damage buildings made of limestone.	-			
			g g				

	(b)	Oxides of nitrogen	1
		Carbon monoxide	1
		Oxides of nitrogen are formed through the reaction of nitrogen and oxygen	1
		under high temperature in the engine.	
		Carbon monoxide is formed through the incomplete combustion of petrol fuel in the engine.	1
-		ruor in the origine.	
9	(a)	The smaller the particle size, the larger the surface area for reaction to occur.	1
		This increases the frequency of collisions between reactant particles, resulting in a faster reaction.	1
	(b)	Add a fixed mass of magnesium strip to hydrochloric acid of	1
		fixed concentration.	
		Collect the volume of hydrogen gas collected using a gas syringe and	1
		measure the volume of hydrogen gas collected at regular time intervals	1
		(eg. 30 seconds).	4
		Record the values collected and plot a graph of volume of hydrogen gas	1
		collected against time. Repeat the experiment using magnesium powder instead of magnesium	4
	<	ribbon. Compare the slopes of the graph obtained for both ribbon and	'
		powder to investigate the rate of reaction.	
		powder to investigate include or redetion.	
	(c)	(i) Exothermic	1
	(-,	(ii) Since magnesium is a more reactive metal than copper,	1
		Therefore it displaces copper from its sulfate to form magnesium	1
		sulfate and copper metal.	

End of Answer Scheme

0

www. Kiasu Exam Paper.com